

Soft Wax White

Issue Date: 22-Feb-2017

Revision Date: 23-May-2019

Version 2

1. IDENTIFICATION

Product Identifier		
Product Form:	Substance	
Substance Name:	Soft Wax White	
SDS#	SWW	
Formula:		
Synonyms:	Wax	
Intended Use of the Product		
Use of the substance/mixture : Restoring wood porous surface		
Name, Address and Telephone of the Responsible Party		
Supplier Address:		
Real Milk Paint, LLC		
126 Commerce Dr.		
Hohenwald, TN 38462		
www.realmilkpaint.com	<u>1</u>	

Emergency Telephone Number

Chemtel 24 hours (within US only)800-255-3924Chemtel 24 hours (outside continental US)813-248-0585

2. HAZARDS IDENTIFICATION

Physical hazards Flammable vapor Category 3 Health hazards Aspiration hazard Category 1 Environmental hazards Not classified. OSHA defined hazards Not classified. Label elements



Signal word DANGER!

Hazard statement

H226 Flammable vapor.

H304 May be fatal if swallowed and enters airways.

Prevention P262 - Avoid eyes contact.

- P262 Avoid prolonged skin contact.
- P261 Avoid breathing vapors or mist
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P280 Wear protective gloves/eye protection/face protection.
- P264 Wash hands thoroughly after handling.

Response P301 + P310 - If swallowed: Immediately call a poison center/doctor.

P331 - Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 - IF INHALED: Remove to fresh air and keep comfortable for breathing.



Soft Wax White

Issue Date: 22-Feb-2017

Revision Date: 23-May-2019

Version 2

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378 - In case of fire: Use appropriate media to extinguish.
Storage P403 + P235 - Store in a well-ventilated place. Keep cool.
Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

3. COMPOSITION/INFORMATION OF HEALTH HAZARDS

Identity	CAS No.	EINECS No.	Substance presenting health hazards (R-phases)
Trade Secret			
Beeswax	8012-89-3		
Carnauba Wax	8015-86-9		
Isoparaffinic Hydrocarbon	68551-17-7		Yes
T102	13463-67-1		

4.FIRST AID MEASURES

Inhalation If overexposure to vapors or mist, move to fresh air. Call a physician if breathing becomes difficult. **Skin contact** Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. FIRE-FIGHTING MEASURES

•••	
Suitable Extinguishing Media	Water mist, carbon dioxide, foam or dry powder.
Unsuitable Extinguishing Media	Water jet.
Special exposure hazards:	Avoid inhalation of fumes.
Protective equipment:	Firefighters should wear protective clothing and approved
	respirator.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	No special precautions under normal conditions.



Soft Wax White

Issue Date: 22-Feb-2017	Revision Date: 23-May-2019	Version 2	
Environmental precautions:	Prevent from entering drains, surface and g	ground water.	
Methods for cleaning up:	Remove using absorbents, then clean the a and strong detergents.	rea with hot water	
7.	HANDLING AND STORAGE		
Advice on Safe Handling Measures for safe handling: Measures for fire protection:	Handle with care Normal working hygiene will suffice Keep away from open fire.		
Storage Conditions	Store in a cool dry place in the original cont	ainers, or store in a	
	tank.		
Ū.	nd tanks: No specific measures.		
Incompatible Materials	Pro-oxidants.		
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION		
Occupational exposure limits No exposure limits noted for ingredient(s). Biological limit values No biological exposure limits noted for the ingredient(s). Appropriate engineering controls			
Explosion-proof general and local exhaust v			
Individual protection measures, such a			
Eye/face protection Wear safety glasses	with side shields (or goggles).		
Hand protection Wear protective gloves. Skin protection			
Other Wear appropriate chemical resistant	clothing.		
Respiratory protection If engineering controls do not maintain airborne concentrations below recommended			
exposure			
limits (where applicable) or to an acceptable level (in countries where exposure limits have not			
been established), an approved respirator must be worn.			
General hygiene considerations			
When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as			
washing after handling the material and before eating, drinking, and/or smoking. Routinely wash			
work clothing and protective equipment to remove contaminants.			
9. PHYSICAL AND CHEMICAL PROPERTIES			

AppearanceOpaque WaxPhysical statesolidFormsolidColorClearOdorBee's waxpHNot available.Melting point/freezing point N/AInitial boiling point and



Soft Wax White

Issue Date: 22-Feb-2017	Revision Date: 23-May-2019	Version 2
boiling range Flash point Evaporation rate Upper/lower flammability or explos Flammability limit - lower (%) Flammability limit - upper (%)	325 °F (162.8 °C) estimated 129.2 °F (54.0 °C) (ASTM D-56) 0.2 (BuAc = 1) sive limits 0.7 % estimated 5.4 % estimated	
Vapor pressure Vapor pressure temp. Vapor density Solubility(ies) Solubility (water) Auto-ignition temperature Other information Percent volatile Pounds per gallon Specific gravity VOC (Weight %)	0.56 mm Hg @ 20 °C 5.4 (Air = 1) Negligible. 649.4 °F (343 °C) 53 % 6.333 lb/gal 0.760 53 %	

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions

No hazardous reaction known under normal conditions of use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Suitable precautions should be utilized

if using this product at temperatures above the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizers and strong acids.

Hazardous decomposition products Carbon monoxide. Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion May be fatal if swallowed and enters airways.

Inhalation May be fatal if swallowed and enters airways.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Soft Wax White



Issue Date: 22-Feb-2017 Revision Date: 23-May-2019

Version 2

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. **Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

DOT BULK UN number 1268 Proper shipping name Petroleum Distillates, n.o.s. Hazard class combustible paste Packing group III ERG code 128 DOT NON-BULK Not regulated in a container less than 119 gallons. 15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.



Soft Wax White

Issue Date: 22-Feb-2017	Revision Date: 23-May-2019	Version 2
CERCLA Hazardous Substance List (40 CF Not listed.	-	
US. OSHA Specifically Regulated Substant Not listed.	ces (29 CFR 1910.1001-1050)	
Superfund Amendments and Reauthoriza	tion Act of 1986 (SARA)	
Hazard categories Immediate Hazard - Yes Delayed Hazard - No		
Fire Hazard - Yes		
Pressure Hazard - No		
Reactivity Hazard - No SARA 302 Extremely hazardous substance	a	
Not listed.SARA 311/312Hazardous chemic		
Yes		
SARA 313 (TRI reporting)		
Not regulated.		
Other federal regulations Clean Air Act (CAA) Section 112 Hazardou	is Air Pollutants (HABs) List	
Not regulated.	is All Foliatalits (IIAFS) List	
Clean Air Act (CAA) Section 112(r) Accide	ntal Release Prevention (40 CFR 68.130))
Not regulated.		
Safe Drinking Water Act (SDWA)		
Not regulated.		
US state regulations		
US. Massachusetts RTK - Substance List		
Not regulated. US. New Jersey Worker and Community R	light-to-Know Act	
Not regulated.		
US. Pennsylvania RTK - Hazardous Substa	inces	
Not regulated. US. Rhode Island RTK		
Not regulated.		
US. California Proposition 65		
California Safe Drinking Water and Toxic Enford	cement Act of 1986 (Proposition 65): This mat	erial is not known to
contain any chemicals currently listed as carcinogens or rep	raductive toxing	
International Inventories		
Country(s) or region Inventory name On i	inventory (yes/no)*	
Australia Australian Inventory of Chemical Subs	stances (AICS) Yes	
Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL)	Vec	
China Inventory of Existing Chemical Substances		
Europe European Inventory of Existing Comme		
(EINECS)		
Europe European List of Notified Chemical Subs Japan Inventory of Existing and New Chemical		
Korea Existing Chemicals List (ECL) Yes		
New Zealand New Zealand Inventory Yes		
Philippines Philippine Inventory of Chemicals ar	nd Chemical Substances Yes	
(PICCS) United States & Puerto Rico Toxic Substances (Control Act (TSCA) Inventory Yes	



Soft Wax White

Issue Date: 22-Feb-2017

Revision Date: 23-May-2019

Version 2

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

The information provided in this safety data sheet is accurate to the best of our knowledge and is valid for the product as supplied. The information is intended for use as a guide for safety measures, and no liability arising out of the use, application or processing of the material is accepted.